



# Toshiba Satellite A215 S4697 Hard Drive Replacement

This guide will help you replace your hard drive.

Written By: Mike Dongyub Ryu



## INTRODUCTION

Replacing a hard drive is a great yet simple fix. Make sure your new drive is the 2.5" laptop hard drive!

---



### TOOLS:

- [Phillips #1 Screwdriver](#) (1)
  - [iFixit Opening Tools](#) (1)
-

## Step 1 — Battery



- Close the laptop and turn it over so that the base is facing upwards and the spine is facing away from you.
- Find the battery compartment.
- Slide the left slider which is just beneath the battery compartment into its leftmost position.


## Step 2



- Slide and hold the right slider into its rightmost position. Lift the battery out of the compartment.
- Do not touch the gold nodes inside the compartment.



## Step 3 — Hard Drive




- Locate the hard drive in the left hand corner, and remove the two 4mm Phillips #1 screws.

## Step 4




- Using a plastic opening tool, open the compartment and remove the compartment cover.

## Step 5



- Use a pair of metal tweezers to grab the plastic pull-tab that is tucked in underneath the hard drive.

## Step 6



- Using the plastic pull-tab, carefully pull the hard drive to the left to detach it from its connector.
  - Remove the hard drive assembly from the device.
- i** This assembly consists of the actual hard drive and the metal housing. Metal housing is necessary for the reassembly of the device.




## Step 7



- Flip over the hard drive assembly and remove two 4mm Phillips #1 screws at the top left and right side of the hard drive housing.

## Step 8



- Carefully separate the actual hard drive from the hard drive assembly.



Do not touch the hard drive's connectors.

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2017-06-20 07:54:30 AM.